## Author Index


Adamovics, J., see Kirschbaum, J. 165
Adaskaveg, M. E., see Alfredson, T. V. 277
Aguilar, M. I., see Hodder, A. N. 33
Alarcón, P., see Andrés, M. D. 399
Alfredson, T. V.
——, Maki, A. H., Adaskaveg, M. E., Excoffier, J.-L. and Waring, M. J.
Liquid chromatographic investigation of quinoxaline antibiotics and their analogues by means of ultraviolet diode-array detection 277
Alonso-Silva, I. J.
——, Carretero, J. M., Martin, J. L. and Sanz, A. M.
Determination of partition coefficients of non-ionic contrast agents by reversed-phase high-performance liquid chromatography 293
Andrés, M. D.
——, Cañas, B., Izquierdo, R. C., Polo, L. M. and Alarcón, P.
Transient changes of mobile phase in the high-performance liquid chromatographic separation of priority pollutant phenols 399
Arrigoni Martelli, E., see Marzo, A. 235, 241
Asplund, L., see Haglund, P. 389
Baba, Y.
——, Tsuhako, M. and Yoza, N.
Rapid and sensitive determination of nucleoside H-phosphonate and inorganic H-phosphonates by high-performance liquid chromatography coupled with flow-injection analysis 103
Bailey, B., see Stein, T. A. 259
Benassi, C. A., see Bettero, A. 403
Betnér, I., see Gustavsson, B. 67
Bettero, A.
——, Semenzato, A. and Benassi, C. A.
Reversed-phase high-performance liquid chromatography applied to the direct analysis of untreated heterophasic systems 403
Bianchetti, G., see Guinebault, P. 221
Biondi, P. A.
——, Ceciliani, F., Gandini, C. and Lucarelli, C.
Modified high-performance liquid chromatographic determination of diamine oxidase activity in plasma 333
Boppana, V. K.
—— and Rhodes, G. R.
High-performance liquid chromatographic determination of an arginine-containing octapeptide antagonist of vasopressin in human plasma by means of a selective post-column reaction with fluorescence detection 79
Brinkman, U. A. Th., see Van der Horst, F. A. L. 351
Bürgy, H.
—— and Calzaferri, G.
Separation of the oligomeric silsesquioxanes $(HSiO_{3/2})_{8-18}$ by size-exclusion chromatography 481
Bult, A., see Van der Horst, F. A. L. 351
Burger, K., see Péter, A. 59
Burns, G. P., see Stein, T. A. 259
Busnelli, V., see Farina, M. 171
Buzzigoli, G.
——, Lanzone, L., Ciociaro, D., Frascerra, S., Cerri, M., Scandroglio, A., Coldani, R. and Ferrannini, E.
Characterization of a reversed-phase high-performance liquid chromatographic system for the determination of blood amino acids 85
Calzaferri, G., see Bürgy, H. 481
Cañas, B., see Andrés, M. D. 399
Cantafora, A.
——, Cardelli, M. and Masella, R.
Separation and determination of molecular species of phosphatidylcholine in biological samples by high-performance liquid chromatography 399
Cardelli, M., see Cantafora, A. 339
Carli, G., see Tagliaro, F. 253
Carretero, J. M., see Alonso-Silva, I. J. 293
Cavrini, V., see Gatti, R. 451
Ceciliani, F., see Biondi, P. A. 333
Cerri, M., see Buzzigoli, G. 85
Chang, J., see Geng, X. 1
Ciociaro, D., see Buzzigoli, G. 85
Codini, M., see Guida, E. 51
Colafranceschi, C., see Guinebault, P. 221
Coldani, R., see Buzzigoli, G. 85
Concialini, V., see Galletti, G. C. 439
Cosey, A., see Kirschbaum, J. 165
Dahlquist, I., see Dalbacke, J. 381
Dalbacke, J.
——, Dahlquist, I. and Persson, C.
Determination of warfarin in drinking water by high-performance liquid chromatography after solid-phase extraction 381
Dalla Libera, L.
Modification of the selectivity of a reversed-phase high-performance liquid chromatographic system by binding sodium dodecyl sulphate to peptides 45
Decleire, M., see Motte, J. C. 321

De Kok, A.
——, Hiemstra, M. and Vreeker, C. P.
Optimization of the postcolumn hydrolysis reaction on solid phases for the routine high-performance liquid chromatographic determination of N-methylcarbamate pesticides in food products 459
Dewaele, C., see Praet, A. 427
Dorizzi, R., see Tagliaro, F. 253
Erni, F.
Use of high-performance liquid chromatography in the pharmaceutical industry 141
——, see Steuer, W. 125
Excoffier, J.-L., see Alfredson, T. V. 277
Farina, M.
——, Finetti, G. and Busnelli, V.
High-performance liquid chromatographic method for the simultaneous assay of a new synthetic penem molecule and its salt-forming agent in injectable formulations 171
Ferrannini, E., see Buzzigoli, G. 85
Finetti, G., see Farina, M. 171
Fini, C., see Guida, E. 51
Floridi, A., see Guida, E. 51
Frascerra, S., see Buzzigoli, G. 85
Galletti, G. C.
——, Piccaglia, R. and Concialini, V.
Optimization of electrochemical detection in the high-performance liquid chromatography of lignin phenolics from lignocellulosic by-products 439
Gandini, C., see Biondi, P. A. 333
Gatti, R.
——, Cavrini, V., Roveri, P. and Pinzauti, S.
High-performance liquid chromatographic determination of aliphatic thiols with aroylacrylic acids as fluorogenic precolumn derivatization reagents 451
Geng, X.
——, Guo, L. and Chang, J.
Study of retention mechanism of proteins in hydrophobic interaction chromatography 1
Girometta, M. A.
——, Loschi, L. and Ventura, P.
High-performance liquid chromatographic determination of the mucoregulatory drug CO/1408 in rat plasma and urine 227
Gorbunov, A. A., see Skvortsov, A. M. 487
Grant, I., see Steuer, W. 125
Grune, T., see Werner, A. 311
Guida, E.
——, Codini, M., Palmerini, C. A., Fini, C., Lucarelli, C. and Floridi, A.
Development and validation of a high-performance liquid chromatographic method for the determination of desmosines in tissue 51
Guinebault, P.
——, Colafranceschi, C. and Bianchetti, G.
Determination of mephenesin in plasma by high-performance liquid chromatography with fluorimetric detection 221
Guo, L., see Geng, X. 1
Gustavsson, B.
—— and Betnér, I.
Fully automated amino acid analysis for protein and peptide hydrolysates by precolumn derivatization with 9-fluorenyl methylchloroformate and 1-aminoadamantane 67
Härmälä, P.
——, Vuorela, H., Lehtonen, P. and Hiltunen, R.
Optimization of the high-performance liquid chromatography of coumarins in *Angelica archangelica* with references to molecular structure 367
Haglund, P.
——, Asplund, L., Järnberg, U. and Jansson, B.
Isolation of toxic polychlorinated biphenyls by electron donor–acceptor high-performance liquid chromatography on a 2-(1-pyrenyl)ethyldimethylsilylated column 389
Hanai, T., see Hirukawa, M. 95
Hartvig, P.
—— and Långström, B.
Combination of positron emission tomography with liquid chromatography in neuropharmacologic research 303
Hearn, M. T. W., see Hodder, A. N. 33
Hiemstra, M., see De Kok, A. 459
Hiltunen, R., see Härmälä, P. 367
Hirukawa, M.
——, Maeda, M., Tsuji, A. and Hanai, T.
Separation of free amino acids by reversed-phase ion-pair chromatography with column switching and isocratic elution 95
Hodder, A. N.
——, Machin, K. J., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CI. Identification and characterisation of coulombic interactive regions on sperm whale myoglobin by high-performance anion-exchange chromatography and computer-graphic analysis 33
Holthuis, J. J. M., see Van der Horst, F. A. L. 351
Horst, F. A. L. van der, see Van der Horst, F. A. L. 351
Huynh, N. Van, see Motte, J. C. 321
Ishikawa, N., see Sato, Y. 25
Izquierdo, R. C., see Andrés, M. D. 399
Järnberg, U., see Haglund, P. 389
Jansson, B., see Haglund, P. 389
Janzsó, G., see Körtevélyessy, Gy., 409

Kanazawa, H.
——, Nagata, Y., Matsushima, Y., Tomoda, M. and Takai, N.
Simultaneous determination of ginsenosides and saikosaponins by high-performance liquid chromatography 327
Kelen, G. P. Van der, see Praet, A. 427
Kirschbaum, J.
——, Noroski, J., Cosey, A., Mayo, D. and Adamovics, J.
High-performance liquid chromatography of the drug fosinopril 165
Kisfaludy, L., see Péter, A. 59
Körtevélyessy, Gy.
——, Körtevélyessy, J., Mester, T., Meszlényi, G. and Janzsó, G.
Separation and interconversion of 3-amino-2-cyanoacrylates by high-performance liquid chromatography 409
Körtevélyessy, J., see Körtevélyessy, Gy. 409
Kok, A. de, see De Kok, A. 459
Lang, J. K.
Quantitative determination of cholesterol in liposome drug products and raw materials by high-performance liquid chromatography 157
Långström, B., see Hartvig, P. 303
Lanzone, L., see Buzzigoli, G. 85
Leakey, T. E. B.
Simultaneous analysis of theophylline, caffeine and eight of their metabolic products in human plasma by gradient high-performance liquid chromatography 199
Lefebvre, R. A., see Rosseel, M. T. 247
Lehtonen, P., see Härmälä, P. 367
Loschi, L., see Girometta, M. A. 227
Löw, M., see Péter, A. 59
Lucarelli, C., see Biondi, P. A. 333
——, see Guida, E. 51
Lukács, F., see Péter, A. 59
Machin, K. J., see Hodder, A. N. 33
Maeda, M., see Hirukawa, M. 95
Maki, A. H., see Alfredson, T. V. 277
Marigo, M., see Tagliaro, F. 253
Martin, J. L., see Alonso-Silva, I. J. 293
Marzo, A.
——, Monti, N., Ripamonti, M., Arrigoni Martelli, E. and Picari, M.
High-performance liquid chromatographic assay of ampicillin and its prodrug lenampicillin 235
——, Monti, N., Ripamonti, M., Muck, S. and Arrigoni Martelli, E.
Determination of aliphatic amines by gas and high-performance liquid chromatography 241
Masella, R., see Cantafora, A. 339
Matsushima, Y., see Kanazawa, H. 327
Mayo, D., see Kirschbaum, J. 165
Mester, T., see Körtevélyessy, Gy. 409
Meszlényi, G., see Körtevélyessy, Gy. 409
Moats, W. A.
Determination of penicillin G in milk by high-performance liquid chromatography with automated liquid chromatographic cleanup 177
Monseur, X., see Motte, J. C. 321
Monti, N., see Marzo, A. 235, 241
Mori, S.
Liquid adsorption chromatography of styrene copolymers of methacrylates and acrylates 473
Motte, J. C.
——, Van Huynh, N., Decleire, M., Wattiau, P., Walravens, J. and Monseur, X.
Monitoring and purification of gluconic and galactonic acids produced during fermentation of whey hydrolysate by *Gluconobacter oxydans* 321
Muck, S., see Marzo, A. 241
Nagata, Y., see Kanazawa, H. 327
Noroski, J., see Kirschbaum, J. 165
Ohms, J. I., see Paulus, A. 113
Palmerini, C. A., see Guida, E. 51
Paulus, A.
—— and Ohms, J. I.
Analysis of oligonucleotides by capillary gel electrophoresis 113
Persson, C., see Dalbacke, J. 381
Péter, A.
——, Luckács, F., Burger, K., Schön, I., Löw, M. and Kisfaludy, L.
High-performance liquid chromatographic study of the reduction of protected oxytocein by sodium in liquid ammonia 59
Philipp, W., see Wyss, R. 187
Picari, M., see Marzo, A. 235
Piccaglia, R., see Galletti, G. C. 439
Pinzauti, S., see Gatti, R. 451
Polo, L. M., see Andrés, M. D. 399
Posluszny, J. V.
——, Weinberger, R. and Woolf, E.
Optimization of multidimensional high-performance liquid chromatography for the determination of drugs in plasma by direct injection, micellar cleanup and photodiode array detection 267
Post, M. H., see Van der Horst, F, A. L. 351
Praet, A.
——, Dewaele, C., Verdonck, L. and Van der Kelen, G. P.
Liquid chromatography of organotin compounds on cyanopropyl silica gel 427
Reijn, J. M., see Van der Horst, F. A. L. 351

Rhodes, G. R., see Boppana, V. K. 79
Ripamonti, M., see Marzo, A. 235, 241
Rosseel, M. T.
—— and Lefebvre, R. A.
High-performance liquid chromatographic determination of propylthiouracil in plasma 247
Roveri, P., see Gatti, R. 451
Sanz, A. M., see Alonso-Silva, I. J. 293
Sato, Y.
——, Ishikawa, N. and Takagi, T.
High-performance size-exclusion chromatography and molar mass measurement by low-angle laser light scattering of recombinant yeast-derived human hepatitis B virus surface antigen vaccine particles 25
Scandroglio, A., see Buzzigoli, G. 85
Schön, I., see Péter, A. 59
Schreiter, C., see Werner, A. 311
Semenzato, A., see Bettero, A. 403
Siems, W., see Werner, A. 311
Sirviö, H. see Suortti, T. 421
Skvortsov, A. M.
—— and Gorbunov, A. A.
Achievements and uses of critical conditions in the chromatography of polymers 487
Stein, T. A.
——, Burns, G. P., Bailey, B. and Wise, L.
Measurement of 5-fluorouracil and its active metabolites in tissue 259
Steuer, W.
——, Grant, I. and Erni, F.
Comparison of high-performance liquid chromatography, supercritical fluid chromatography and capillary zone electrophoresis in drug analysis 125
Suortti, T.
—— and Sirviö, H.
Determination of fungistatic quaternary ammonium compounds in beverages and water samples by high-performance liquid chromatography 421
——, Determination of phenol in poly(vinyl chloride) 417
Tagliaro, F.
——, Carli, G., Dorizzi, R. and Marigo, M.
Direct injection high-performance liquid chromatographic assay of morphine with electrochemical detection, a polymeric column and an alkaline eluent 253
Takagi, T., see Sato, Y. 25
Takai, N., see Kanazawa, H. 327
Tammilehto, S., see Ulvi, V. 151
Tomoda, M., see Kanazawa, H. 327
Tsuhako, M., see Baba, Y. 103
Tsuji, A., see Hirukawa, M. 95
Ulvi, V.
—— and Tamilehto, S.
High-performance liquid chromatographic method for studies on the photodecomposition kinetics of chlorothiazide 151
Van der Horst, F. A. L.
——, Reijn, J. M., Post, M. H., Bult, A., Holthuis, J. J. M. and Brinkman, U. A. Th.
Mechanistic study on the derivatization of aliphatic carboxylic acids in aqueous non-ionic micellar systems 351
Van der Kelen, G. P., see Praet, A. 427
Van Huynh, N., see Motte, J. C. 321
Ventura, P., see Girometta, M. A. 227
Verdonck, L., see Praet, A. 427
Vreeker, C. P., see De Kok, A. 459
Vuorela, H., see Härmälä, P. 367
Walravens, J., see Motte, J. C. 321
Waring, M. J., see Alfredson, T. V. 277
Wattiau, P., see Motte, J. C. 321
Weinberger, R., see Posluszny, J. V. 267
Werner, A.
——, Siems, W., Grune, T. and Schreiter, C.
Interrelation between nucleotide degradation and aldehyde formation in red blood cells. Influence of xanthine oxidase on metabolism: an application of nucleotide and aldehyde analyses by high-performance liquid chromatography 311
Wise, L., see Stein, T. A. 259
Woolf, E., see Posluszny, J. V. 267
Wyss, R.
——, Philipp, W.
Determination of the monoamine oxidase B inhibitor Ro 19-6327 in plasma by high-performance liquid chromatography using pre-column derivatization with fluorescamine and fluorescence detection 187
Yoza, N., see Baba, Y. 103